

0.1 twosls: Two Stage Least Squares

`twosls` provides consistent estimates for linear regression models with some explanatory variable (the instrumental variable) correlated with the error term. In this situation, ordinary least squares fails to provide consistent estimates. The name two-stage least squares stems from the two regressions in the estimation procedure. In stage one, an ordinary least squares prediction of the instrumental variable is obtained from regressing it on the instrument variables. In stage two, the coefficients of interest are estimated using ordinary least square after substituting the instrumental variable by its predictions from stage one.

Syntax

```
> fml <- list ("mu" = Y ~ X + Z,
              "inst" = Z ~ W + X)
> z.out <- zelig(formula = fml, model = "twosls", data = mydata)
> x.out <- setx(z.out)
> s.out <- sim(z.out, x = x.out)
```

Inputs

`twosls` regression take the following inputs:

- **formula**: a list of the main equation and instrumental variable equation. The first object in the list `mu` corresponds to the regression model needs to be estimated. The second list object `inst` specifies the regression model for the instrumental variable `Z`. For example:

```
> fml <- list(mu = Y ~ X + Z, inst = Z ~ W + X)
```

- `Y`: the dependent variable of interest.
- `Z`: the instrumental variable.
- `W`: exogenous instrument variables.

Additional Inputs

`twosls` takes the following additional inputs for model specifications:

- **TX**: an optional matrix to transform the regressor matrix and, hence, also the coefficient vector (see 0.1). Default is `NULL`.
- **rcovformula**: formula to calculate the estimated residual covariance matrix (see 0.1). Default is equal to 1.
- **probdfsys**: use the degrees of freedom of the whole system (in place of the degrees of freedom of the single equation to calculate probability values for the t-test of individual parameters).

- **single.eq.sigma**: use different σ^2 for each single equation to calculate the covariance matrix and the standard errors of the coefficients.
- **solveto1**: tolerance level for detecting linear dependencies when inverting a matrix or calculating a determinant. Default is **solveto1**=Machine\$double.eps.
- **saveMemory**: logical. Save memory by omitting some calculation that are not crucial for the basic estimate (e.g McElroy's R^2).

Details

- **TX**: The matrix **TX** transforms the regressor matrix (X) by $X* = X \times TX$. Thus, the vector of coefficients is now $b = TX \times b*$ where b is the original(stacked) vector of all coefficients and $b*$ is the new coefficient vector that is estimated instead. Thus, the elements of vector b and $b_i = \sum_j TX_{ij} \times b_j*$. The TX matrix can be used to change the order of the coefficients and also to restrict coefficients (if TX has less columns than it has rows).
- **rcovformula**: The formula to calculate the estimated covariance matrix of the residuals($\hat{\Sigma}$)can be one of the following (see Judge et al., 1955, p.469): if **rcovformula**= 0:

$$\hat{\sigma}_{ij} = \frac{\hat{e}_i' \hat{e}_j}{T}$$

if **rcovformula**= 1 or **rcovformula**='geomean':

$$\hat{\sigma}_{ij} = \frac{\hat{e}_i' \hat{e}_j}{\sqrt{(T - k_i) \times (T - k_j)}}$$

if **rcovformula**= 2 or **rcovformula**='Theil':

$$\hat{\sigma}_{ij} = \frac{\hat{e}_i' \hat{e}_j}{T - k_i - k_j + tr[X_i(X_i'X_i)^{-1}X_i'X_j(X_j'X_j)^{-1}X_j']}$$

if **rcovformula**= 3 or **rcovformula**='max':

$$\hat{\sigma}_{ij} = \frac{\hat{e}_i' \hat{e}_j}{T - \max(k_i, k_j)}$$

If $i = j$, formula 1, 2, and 3 are equal. All these three formulas yield unbiased estimators for the diagonal elements of the residual covariance matrix. If *ineqj*, only formula 2 yields an unbiased estimator for the residual covariance matrix, but it is not necessarily positive semidefinit. Thus, it is doubtful whether formula 2 is really superior to formula 1

Examples

Attaching the example dataset:

```
> data(klein)
```

Formula:

```
> formula <- list(mu1 = C ~ Wtot + P + P1, mu2 = I ~ P + P1 + K1,  
+      mu3 = Wp ~ X + X1 + Tm, inst = ~P1 + K1 + X1 + Tm + Wg +  
+      G)
```

Estimating the model using `twosls`:

```
> z.out <- zelig(formula = formula, model = "twosls", data = klein)  
> summary(z.out)
```


Set explanatory variables to their default (mean/mode) values

```
> x.out <- setx(z.out)
```

Simulate draws from the posterior distribution:

```
> s.out <- sim(z.out, x = x.out)  
> summary(s.out)
```

Plot the quantities of interest



Model

Let's consider the following regression model,

$$Y_i = X_i\beta + Z_i\gamma + \epsilon_i, \quad i = 1, \dots, N$$

where Y_i is the dependent variable, $X_i = (X_{1i}, \dots, X_{Ni})$ is the vector of explanatory variables, β is the vector of coefficients of the explanatory variables X_i , Z_i is the problematic explanatory variable, and γ is the coefficient of Z_i . In the equation, there is a direct dependence of Z_i on the structural disturbances of ϵ .

- The *stochastic component* is given by

$$\epsilon_i \sim \mathcal{N}(0, \sigma^2), \quad \text{and} \quad \text{cov}(Z_i, \epsilon_i) \neq 0,$$

- The *systematic component* is given by:

$$\mu_i = E(Y_i) = X_i\beta + Z_i\gamma,$$

To correct the problem caused by the correlation of Z_i and ϵ , two stage least squares utilizes two steps:

- *Stage 1*: A new instrumental variable \hat{Z} is created for Z_i which is the ordinary least squares predictions from regressing Z_i on a set of exogenous instruments W and X .

$$\hat{Z}_i = \widetilde{W}_i[(\widetilde{W}^\top \widetilde{W})^{-1} \widetilde{W}^\top Z]$$

where $\widetilde{W} = (W, X)$

- *Stage 2*: Substitute for \hat{Z}_i for Z_i in the original equation, estimate β and γ by ordinary least squares regression of Y on X and \hat{Z} as in the following equation.

$$Y_i = X_i\beta + \hat{Z}_i\gamma + \epsilon_i, \quad \text{for } i = 1, \dots, N$$

See Also

For information about three stage least square regression, see Section ?? and `help(3sls)`. For information about seemingly unrelated regression, see Section ?? and `help(sur)`.

Quantities of Interest

Output Values

The output of each Zelig command contains useful information which you may view. For example, if you run:

```
z.out <- zelig(formula=fml, model = "twosls", data)
```

then you may examine the available information in `z.out` by using `names(z.out)`, see the draws from the posterior distribution of the `coefficients` by using `z.out$coefficients`, and view a default summary of information through `summary(z.out)`. Other elements available through the `$` operator are listed below:

- `h`: matrix of all (diagonally stacked) instrumental variables.
- `single.eq.sigma`: different σ^2 s for each single equation?.
- `zelig.data`: the input data frame if `save.data = TRUE`.
- `method`: Estimation method.
- `g`: number of equations.
- `n`: total number of observations.
- `k`: total number of coefficients.
- `ki`: total number of linear independent coefficients.
- `df`: degrees of freedom of the whole system.
- `iter`: number of iteration steps.
- `b`: vector of all estimated coefficients.
- `t`: t values for b .
- `se`: estimated standard errors of b .
- `bt`: coefficient vector transformed by TX .
- `p`: p values for b .
- `bcov`: estimated covariance matrix of b .
- `btcov`: covariance matrix of bt .
- `rcov`: estimated residual covariance matrix.
- `drcov`: determinant of `rcov`.
- `rcor`: estimated residual correlation matrix.
- `olsr2`: system OLS R-squared value.
- `y`: vector of all (stacked) endogenous variables.
- `x`: matrix of all (diagonally stacked) regressors.

- **data**: data frame of the whole system (including instruments).
- **TX**: matrix used to transform the regressor matrix.
- **rcovformula**: formula to calculate the estimated residual covariance matrix.
- **probdfsys**: system degrees of freedom to calculate probability values?.
- **solvetol**: tolerance level when inverting a matrix or calculating a determinant.
- **eq**: a list that contains the results that belong to the individual equations.
- **eqnlabel***: the equation label of the *ith* equation (from the labels list).
- **formula***: model formula of the *ith* equation.
- **n***: number of observations of the *ith* equation.
- **k***: number of coefficients/regressors in the *ith* equation (including the constant).
- **ki***: number of linear independent coefficients in the *ith* equation (including the constant differs from *k* only if there are restrictions that are not cross equation).
- **df***: degrees of freedom of the *ith* equation.
- **b***: estimated coefficients of the *ith* equation.
- **se***: estimated standard errors of *b* of the *ith* equation.
- **t***: *t* values for *b* of the *ith* equation.
- **p***: *p* values for *b* of the *ith* equation.
- **covb***: estimated covariance matrix of *b* of the *ith* equation.
- **y***: vector of endogenous variable (response values) of the *ith* equation.
- **x***: matrix of regressors (model matrix) of the *ith* equation.
- **data***: data frame (including instruments) of the *ith* equation.
- **fitted***: vector of fitted values of the *ith* equation.
- **residuals***: vector of residuals of the *ith* equation.
- **ssr***: sum of squared residuals of the *ith* equation.
- **mse***: estimated variance of the residuals (mean of squared errors) of the *ith* equation.
- **s2***: estimated variance of the residuals($\hat{\sigma}^2$) of the *ith* equation.

- `rmse*`: estimated standard error of the residuals (square root of mse) of the *ith* equation.
- `s*`: estimated standard error of the residuals ($\hat{\sigma}$) of the *ith* equation.
- `r2*`: R-squared (coefficient of determination).
- `adjr2*`: adjusted R-squared value.
- `inst*`: instruments of the *ith* equation.
- `h*`: matrix of instrumental variables of the *ith* equation.

How to Cite

To cite the *twosls* Zelig model:

Ferdinand Alimadhi, Ying Lu, and Elena Villalon. 2007. “twosls: Two Stage Least Squares,” in Kosuke Imai, Gary King, and Olivia Lau, “Zelig: Everyone’s Statistical Software,” <http://gking.harvard.edu/zelig>.

To cite Zelig as a whole, please reference these two sources:

Kosuke Imai, Gary King, and Olivia Lau. 2007. “Zelig: Everyone’s Statistical Software,” <http://GKing.harvard.edu/zelig>.

Kosuke Imai, Gary King, and Olivia Lau. 2007. “Toward A Common Framework for Statistical Analysis and Development,” <http://gking.harvard.edu/files/abs/z-abs.shtml>.

See also

The *twosls* function is adapted from the `systemfit` library by Jeff Hamann and Arne Henningsen (Jeff hamann 2005).

Bibliography

Jeff hamann, A. H. (2005), *systemfit: Simultaneous Equation Systems in R Package*.